

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S103	12	("4827508" "5787175" "5826268" "5857193" "5870543" "5889860" "5910988" "5963642" "6032137" "6098056" "6128611" "6442549").pn.	USPAT; EPO; JPO	OR	ON	2006/05/17 12:09
S104	27	"707"/\$.ccls. and database and revok\$ adj access	USPAT; EPO; JPO	OR	ON	2006/05/17 12:17
S105	61	database and revok\$ adj access	USPAT; EPO; JPO	OR	ON	2006/05/17 12:17
S106	1	S105 and S103	USPAT; EPO; JPO	OR	ON	2006/05/17 14:44
S107	1134	iterator	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:18
S108	275	iterator with access\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:18
S109	251	iterator with access\$4 and (quer\$4 request\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:18
S110	2467	obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:19
S111	48	obfuscat\$4 and de\$obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:06
S112	2	S109 and S111	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:22
S113	17	obfuscat\$4 and de\$obfuscat\$4 and (obfuscat\$4 de\$obfuscat\$4) with format\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:22
S114	2	S113 and S109	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:21
S116	2	S109 and S111 and crystal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:22

EAST Search History

S11 7	3	obfuscate\$4 and de\$obfuscate\$4 and (obfuscate\$4 de\$obfuscate\$4) with format\$4 and crystal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:24
S11 8	5502	access\$4 with crystal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:24
S11 9	292	access\$4 with crystal with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:24
S12 0	2	access\$4 with crystal with key with grant\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:24
S12 1	14	access\$4 with crystal with key with (give\$4 grant\$4 provide\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:07
S12 2	8	access\$4 with crystal with key with (give\$4 grant\$4 provide\$4) and software	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:05
S12 3	2	access\$4 with crystal with key with (give\$4 grant\$4 provide\$4) and software and dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:06
S12 4	2	access\$4 with crystal with key with (give\$4 grant\$4 provide\$4) and dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:06
S12 5	2	access\$4 with crystal with key with (give\$4 grant\$4 provide\$4) not liquid adjacent crystal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:07
S12 6	25	access\$4 near3 key near4 dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:29
S12 7	78055	access\$4 with (grant\$4 authorize\$4 un\$authorize\$4 suspend\$4 give\$4 revoke\$4)	USPAT; EPO; JPO	OR	ON	2006/05/17 14:45
S12 8	5861	access\$4 with ((grant\$4 authorize\$4 give\$4) and (un\$authorize\$4 suspend\$4 revoke\$4))	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S12 9	96	access\$4 with data\$base with ((grant\$4 authorize\$4 give\$4) and (un\$authorize\$4 suspend\$4 revoke\$4))	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54

EAST Search History

S13 0	38	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with software	USPAT; EPO; JPO	OR	ON	2006/05/18 09:33
S13 1	10	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with software and access\$4 with hardware	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S13 2	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with software and access\$4 with hardware and dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:52
S13 3	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with software and access\$4 with dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:53
S13 4	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S13 5	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with software and dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S13 6	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S13 7	2	access\$4 with data\$base with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 14:54
S13 8	24	access\$4 with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle	USPAT; EPO; JPO	OR	ON	2006/05/17 15:00
S13 9	23	access\$4 with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code)	USPAT; EPO; JPO	OR	ON	2006/05/17 15:00
S14 0	21	access\$4 with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code) and access\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/17 15:22

EAST Search History

S14 1	12	access\$4 with ((grant\$4 autoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code) and access\$4 with key and access\$4 with data\$base	USPAT; EPO; JPO	OR	ON	2006/05/18 15:53
S14 2	0	access\$4 with ((grant\$4 autoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code) and a20 not 21ccess\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/17 15:22
S14 3	9	S140 not S141	USPAT; EPO; JPO	OR	ON	2006/05/17 15:58
S14 4	6	S140 not S141 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4)	USPAT; EPO; JPO	OR	ON	2006/05/17 16:00
S14 5	2	S140 not S141 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4	USPAT; EPO; JPO	OR	ON	2006/05/17 16:07
S14 6	2	S140 not S141 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/17 16:12
S14 7	2	S140 not S141 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule	USPAT; EPO; JPO	OR	ON	2006/05/18 16:06
S14 8	1	"5889860".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 09:14
S14 9	0	"5889860".pn. and access\$4 with key with data\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 09:15
S15 0	1	"5889860".pn. and access\$4 with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 09:15
S15 1	1	"5889860".pn. and access\$4 with key and access with data\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:05

EAST Search History

S15 2	0	"tokens may be hard or soft"	USPAT; EPO; JPO	OR	ON	2006/05/18 15:53
S15 3	0	"tokens may be "hard" or "soft""	USPAT; EPO; JPO	OR	ON	2006/05/18 15:54
S15 4	0	key with token with hard with dongle	USPAT; EPO; JPO	OR	ON	2006/05/18 15:54
S15 5	13	key with token with dongle	USPAT; EPO; JPO	OR	ON	2006/05/18 15:54
S15 6	5	key with token with dongle and access\$4 with data\$base	USPAT; EPO; JPO	OR	ON	2006/05/18 15:55
S15 7	20	key with token with dongle and access\$4 with data\$base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:56
S15 8	22	key with token same dongle and access\$4 with data\$base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:57
S15 9	22	key same token same dongle and access\$4 with data\$base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:58
S16 0	20	key same token same dongle same hard\$5 and access\$4 with data\$base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 15:59
S16 1	4	key same token same dongle same hard\$5 same access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:05
S16 2	4	key same token same dongle same hard\$5 same access\$4 and access\$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 16:05
S16 3	21	access\$4 with ((grant\$4 authoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code) and access\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/18 16:05

EAST Search History

S16 4	12	access\$4 with ((grant\$4 autoriz\$4 giv\$4) and (un\$authoriz\$4 suspend\$4 revolk\$4)) and access\$4 with dongle and access\$4 with (software instruction code) and access\$4 with key and access\$4 with data\$base	USPAT; EPO; JPO	OR	ON	2006/05/18 16:05
S16 5	0	S163 not S164 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule and dongle with access\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/18 16:05
S16 6	0	S163 not S164 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule and access\$4 with key with dongle	USPAT; EPO; JPO	OR	ON	2006/05/18 16:06
S16 7	2	S163 not S164 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule and access\$4 with key	USPAT; EPO; JPO	OR	ON	2006/05/18 16:07
S16 8	0	S163 not S164 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule and access\$4 with key same dongle	USPAT; EPO; JPO	OR	ON	2006/05/18 16:07
S16 9	0	S163 not S164 and access\$4 with (preven\$4 den\$4 refus\$4 dis\$allow\$4) same (allow\$4 let\$4 grant\$4 giv\$4 provid\$4 suppl\$4) with rul\$4 and access\$4 with key and (authoriz\$4 access\$4) with key\$4 with rule and (access\$4 with key) same dongle	USPAT; EPO; JPO	OR	ON	2006/05/18 16:07
S17 0	24798	access\$4 with key and access with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:05
S17 1	49	obfuscat\$4 and de\$obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:06

EAST Search History

S17 2	23	S171 and S170	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:07
S17 3	5	S171 and S170 and compress\$4 and encrypt\$4 and "xor"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:16
S17 4	9	david near4 justin near4 ross.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:16
S17 5	50	jack near3 love.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:17
S17 6	5	stephen near4 billester.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:17
S17 7	29	brent near3 smith.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:17
S17 8	83	(S174 S175 S176 S177)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:18
S17 9	2	(S174 S175 S176 S177) and obfuscat\$4.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:18
S18 0	2	(S174 S175 S176 S177) and iterator.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:18
S18 1	2	(S174 S175 S176 S177) and key near3 crystal.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/22 11:19